

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Rislone® Gasoline Treatment – Right Side
- **Product code:** 44700
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture:** Treatment for gasoline.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Rislone
P.O. Box 187
Holly, MI 48442
USA
Phone: (810) 603-1321
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)



SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.
The following classifications are applicable only to the USA and Canada GHS regulations and not the specific CLP regulations: H351.
Carc. 2 H351 Suspected of causing cancer.
Flam. Liq. 3 H226 Flammable liquid and vapour.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS02 GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Distillates (petroleum), hydrotreated light
Solvent naphtha (petroleum), light arom.
1,2,4-trimethylbenzene

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 1)

1,2,3-trimethylbenzene

Cumene

• **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

The following classifications are applicable only to OSHA (USA) regulations and not the specific CLP regulation: H351.

H351 Suspected of causing cancer.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

• **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

• **3.2 Mixtures**

• **Components:**

CAS: 64742-47-8 EINECS: 265-149-8 Index number: 649-422-00-2 Reg.nr.: 01-2119484819-18-XXXX	Distillates (petroleum), hydrotreated light Flam. Liq. 3, H226 Asp. Tox. 1, H304	40-50%
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	<5%
	Polyolefin alkyl phenol alkyl amine Skin Irrit. 2, H315	<5%
CAS: 95-63-6 EINECS: 202-436-9 Index number: 601-043-00-3 Reg.nr.: 01-2119472135-42-XXXX	1,2,4-trimethylbenzene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<2,5%
CAS: 108-67-8	mesitylene	<1,1%

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 2)

EINECS: 203-604-4 Index number: 601-025-00-5	Flam. Liq. 3, H226 Aquatic Chronic 2, H411 STOT SE 3, H335	
CAS: 128-39-2 EINECS: 204-884-0	2,6-di-tert-butylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315	<1%
CAS: 104-76-7 EINECS: 203-234-3	2-Ethyl-1-hexanol Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<1%
CAS: 526-73-8 EINECS: 208-394-8	1,2,3-trimethylbenzene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 STOT SE 3, H335-H336	<1%
CAS: 98-82-8 EINECS: 202-704-5 Index number: 601-024-00-X Reg.nr.: 01-2119473983-24-XXXX	Cumene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H302; STOT SE 3, H335	<1%

• **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

• **4.1 Description of first aid measures**

• **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

• **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while lying on their back should be turned onto their side.

• **4.2 Most important symptoms and effects, both acute and delayed**

Coughing

Dizziness

Breathing difficulty

Gastric or intestinal disorders.

May be harmful in contact with skin.

May be harmful if inhaled.

Causes mild skin irritation.

• **Hazards:** Danger of impaired breathing.

• **4.3 Indication of any immediate medical attention and special treatment needed**

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 3)

If swallowed, gastric irrigation with added, activated carbon.
 If swallowed or in case of vomiting, danger of entering the lungs.
 Medical supervision for at least 48 hours.
 If necessary oxygen respiration treatment.
 Later observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 - Foam
 - Alcohol resistant foam
 - Gaseous extinguishing agents
 - Carbon dioxide
 - Fire-extinguishing powder
 - Water haze or fog
- **For safety reasons unsuitable extinguishing agents:**
 - Water with full jet
 - Water spray
- **5.2 Special hazards arising from the substance or mixture**
 - Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- **Additional information:**
 - Cool endangered receptacles with water fog or haze.
 - Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
 - Keep away from ignition sources.
 - Wear protective equipment. Keep unprotected persons away.
 - Ensure adequate ventilation
 - Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions**
 - Do not allow to enter sewers/ surface or ground water.
 - Prevent from spreading (e.g. by damming-in or oil barriers).
 - Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up**
 - Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
 - Remove from the water surface (e.g. skim or suck off).
 - Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

See Section 13 for disposal information.

(Cont'd. from page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep out of reach of children.
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Avoid breathing mist/vapours/spray.
 Avoid contact with the eyes and skin.

· Information about fire - and explosion protection:

Keep respiratory protective device available.
 Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.
 Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.
 Store away from oxidising agents.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-47-8 Distillates (petroleum), hydrotreated light

EL (Canada)	Long-term value: 200 mg/m ³ Skin
-------------	--

95-63-6 1,2,4-trimethylbenzene

IOELV (EU)	Long-term value: 100 mg/m ³ , 20 ppm
WEL (Great Britain)	Long-term value: 125 mg/m ³ , 25 ppm ILV
OEL (Ireland)	Long-term value: 100 mg/m ³ , 20 ppm Sk; IOELV
REL (USA)	Long-term value: 125 mg/m ³ , 25 ppm
TLV (USA)	Long-term value: 123 mg/m ³ , 25 ppm

108-67-8 mesitylene

IOELV (EU)	Long-term value: 100 mg/m ³ , 20 ppm
WEL (Great Britain)	Long-term value: 125 mg/m ³ , 25 ppm ILV
OEL (Ireland)	Long-term value: 100 mg/m ³ , 20 ppm Sk; IOELV
REL (USA)	Long-term value: 125 mg/m ³ , 25 ppm

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 5)

TLV (USA)	Long-term value: 123 mg/m ³ , 25 ppm
104-76-7 2-Ethyl-1-hexanol	
IOELV (EU)	Long-term value: 5,4 mg/m ³ , 1 ppm
WEL (Great Britain)	Long-term value: 5,4 mg/m ³ , 1 ppm
OEL (Ireland)	Long-term value: 5,4 mg/m ³ , 1 ppm IOELV
526-73-8 1,2,3-trimethylbenzene	
IOELV (EU)	Long-term value: 100 mg/m ³ , 20 ppm
WEL (Great Britain)	Long-term value: 125 mg/m ³ , 25 ppm ILV
OEL (Ireland)	Long-term value: 100 mg/m ³ , 20 ppm Sk, IOELV
REL (USA)	Long-term value: 125 mg/m ³ , 25 ppm
TLV (USA)	Long-term value: 123 mg/m ³ , 25 ppm
98-82-8 Cumene	
IOELV (EU)	Short-term value: 250 mg/m ³ , 50 ppm Long-term value: 100 mg/m ³ , 20 ppm Skin
EL (Canada)	Short-term value: 75 ppm Long-term value: 25 ppm IARC 2B
EV (Canada)	Long-term value: 245 mg/m ³ , 50 ppm Skin
WEL (Great Britain)	Short-term value: 250 mg/m ³ , 50 ppm Long-term value: 125 mg/m ³ , 25 ppm Sk
OEL (Ireland)	Short-term value: 250 mg/m ³ , 50 ppm Long-term value: 100 mg/m ³ , 20 ppm Sk, IOELV
PEL (USA)	Long-term value: 245 mg/m ³ , 50 ppm Skin
REL (USA)	Long-term value: 245 mg/m ³ , 50 ppm Skin
TLV (USA)	Long-term value: (246) NIC-5 mg/m ³ , (50) NIC-1 ppm NIC-A3

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.

· 8.2 Exposure controls

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

- Use suitable respiratory protective device in case of insufficient ventilation.

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 6)

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment:**

No further relevant information available.

· **Risk management measures:** No further relevant information available.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **Appearance**

· Form:	Liquid
· Colour:	Light yellow
· Odour:	Petroleum-like
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Melting point/freezing point:** Not determined.

· **Initial boiling point and boiling range:** >35 °C (>95 °F)

· **Flash point:** 40,6 °C (105,1 °F)

· **Flammability (solid, gas):** Not applicable.

· **Auto/Self-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits**

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Oxidising properties:** Non-oxidising.

· **Vapour pressure:** Not determined.

· **Density:**

· **Relative density:** 0,77

· **Vapour density:** Not determined.

· **Evaporation rate:** Not determined.

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 7)

- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity**
 - Dynamic:** Not determined.
 - Kinematic at 40 °C (104 °F):** 1,4 mm²/s
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Flammable liquid and vapour.
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
Reacts with oxidising agents.
- **10.4 Conditions to avoid** Excessive heat.
- **10.5 Incompatible materials** Oxidisers
- **10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer):**
Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B
71-43-2	Benzene	1
75-07-0	acetaldehyde	2B
75-56-9	propylene oxide	2B
91-20-3	Naphthalene	2B
100-41-4	Ethylbenzene	2B
100-42-5	styrene	2B

- **Probable routes of exposure:**

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 8)

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:**
May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

128-39-2 2,6-di-tert-butylphenol

LC50 0,89 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability

The product is partially biodegradable. Significant residuals remain.

- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- **Additional ecological information:**
- **General notes:** Avoid transfer into the environment.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

(Cont'd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 9)

· **14.1 UN-Number**

· DOT NA1993
· ADR/RID/ADN, IMDG, IATA UN1268

· **14.2 UN proper shipping name**

· DOT Combustible liquid, n.o.s. (petroleum distillates)
· ADR/RID/ADN, IMDG PETROLEUM PRODUCTS, N.O.S.
· IATA Petroleum products, n.o.s.

· **14.3 Transport hazard class(es)**

· DOT



· Class 3
· Label 3

· ADR/RID/ADN



· Class 3 (F1)
· Label 3

· IMDG, IATA



· Class 3
· Label 3

· **14.4 Packing group**

· DOT, ADR/RID/ADN, IMDG, IATA III

· **14.5 Environmental hazards:**

· Marine pollutant: No

· **14.6 Special precautions for user**

· Danger code (Kemler): Warning: Flammable liquids.
30
· EMS Number: F-E,S-E

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· DOT Classified as combustible under US DOT regulations. Labeling is only required for single packages 119 US gal / 450 L.

(Cont'd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 10)

· **ADR/RID/ADN**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

95-63-6	1,2,4-trimethylbenzene
---------	------------------------

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempt.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

Present in trace quantities: all except 98-82-8.

98-82-8	Cumene
---------	--------

71-43-2	Benzene
---------	---------

75-07-0	acetaldehyde
---------	--------------

75-56-9	propylene oxide
---------	-----------------

91-20-3	Naphthalene
---------	-------------

100-41-4	Ethylbenzene
----------	--------------

100-42-5	styrene
----------	---------

110-00-9	furan
----------	-------

· **Chemicals known to cause developmental toxicity for females:**

(Cont'd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 11)

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity for males:**
Present in trace quantities.

71-43-2	Benzene
---------	---------

- **Chemicals known to cause developmental toxicity:**
Present in trace quantities.

71-43-2	Benzene
---------	---------

108-88-3	Toluene
----------	---------

- **EPA (Environmental Protection Agency)**

95-63-6	1,2,4-trimethylbenzene	II
---------	------------------------	----

108-67-8	mesitylene	II
----------	------------	----

526-73-8	1,2,3-trimethylbenzene	II
----------	------------------------	----

98-82-8	Cumene	D, CBD
---------	--------	--------

- **IARC (International Agency for Research on Cancer)**
Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B
---------	--------	----

71-43-2	Benzene	1
---------	---------	---

75-07-0	acetaldehyde	2B
---------	--------------	----

75-56-9	propylene oxide	2B
---------	-----------------	----

91-20-3	Naphthalene	2B
---------	-------------	----

100-41-4	Ethylbenzene	2B
----------	--------------	----

100-42-5	styrene	2B
----------	---------	----

110-00-9	furan	2B
----------	-------	----

- **Canadian Domestic Substances List (DSL)**

All ingredients listed on DSL or NDSL.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **National regulations:**
- **Water hazard class:** Water hazard class 1: slightly hazardous for water.

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.

(Cont'd. on page 13)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 25 November 2019

Trade name: Rislone® Gasoline Treatment – Right Side

(Cont'd. from page 12)

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

• **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bio-accumulable, Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 3: Flammable liquids – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 Asp. Tox. 1: Aspiration hazard – Category 1
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• **Sources**

Website, European Chemicals Agency (echa.europa.eu)
 Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
 Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com